



# CRSP US Stock Databases Metadata Guide

for Flat File Format 2.0 (CIZ)

# Table of Contents

|  |           |
|--|-----------|
| <b>Chapter 1: Overview .....</b>   | <b>3</b>  |
| <b>File, Item, and Column (Schema) Information.....</b>  | <b>3</b>  |
| <b>Flag Files .....</b>  | <b>3</b>  |
| <b>Coverage Files .....</b>  | <b>4</b>  |
| <b>Column Coverage and Usefulness of Columns .....</b>   | <b>4</b>  |
| <b>Flag Coverage and Data Restrictions or Groupings .....</b>                                    | <b>5</b>  |
| <b>Profiling Information for Improving Query Performance or Reduce Storage .....</b>             | <b>5</b>  |
| <b>Calendar Files .....</b>  | <b>5</b>  |
| <b>MetaExchangeCalendar – Trading Day, Holiday, and Weekend Flags .....</b>                      | <b>5</b>  |
| <b>MetaCalendarPeriod – Information for Daily, Monthly, Quarterly &amp; Annual Periods .....</b> | <b>5</b>  |
| <b>Chapter 2: SIZ to CIZ Mapping Information .....</b>   | <b>7</b>  |
| <b>SIZColPosition – SIZ Column Position Number .....</b>   | <b>7</b>  |
| <b>Column Mapping – SIZColPosition between 1 and 99 (current maximum 31) .....</b>               | <b>7</b>  |
| <b>Join Mapping – SIZColPosition equal to 0 .....</b>  | <b>8</b>  |
| <b>Join Information – SIZColPosition equal to 0 .....</b>  | <b>8</b>  |
| <b>CIZ Added Value for Ease of Use – SIZColPosition greater than 900 .....</b>                   | <b>8</b>  |
| <b>SIZColMapSeq – SIZ Column Mapping Sequence number.....</b>                                    | <b>8</b>  |
| <b>Single Column Split to Two or More CIZ Columns.....</b>                                       | <b>8</b>  |
| <b>Single Column to Two or More Mappings .....</b>   | <b>9</b>  |
| <b>Both Situations .....</b>   | <b>9</b>  |
| <b>Multiple Join Possibilities .....</b>   | <b>9</b>  |
| <b>SIZtoCIZType – SIZ to CIZ Mapping Type.....</b>   | <b>9</b>  |
| <b>SIZtoCIZSubType – SIZ to CIZ Mapping Sub-Type .....</b>                                       | <b>9</b>  |
| <b>MetaSIZtoCIZ – SIZ to CIZ Column Mapping.....</b>   | <b>9</b>  |
| <b>Appendix A: MT Flag Type .....</b>  | <b>11</b> |
| <b>Appendix B: MU Flag Type.....</b>   | <b>14</b> |
| <b>Appendix C: CY Flag Type.....</b>   | <b>24</b> |
| <b>Appendix D: CL Flag Type .....</b>  | <b>25</b> |

## Chapter 1: Overview

With the CRSP Stock and Index Flat File Format 2.0 (CIZ), CRSP has included ten metadata files. Three schema files contain information about the files, items, and columns of all the files and can help speed up the importing of the ASCII files.

Two files provide easy access to the flag values, descriptions, and definitions used throughout the file rather than having them only in online PDF documents.

Two coverage files contain the results of data profiling done by CRSP that are intended to help provide a more three-dimensional description of the data than a text-only explanation provides.

Two calendar files are intended to improve transparency related to exchange holidays, closures, and ease of use by supplementing and complementing date arithmetic functions with pre-calculated information about the CRSP periods.

The tenth metadata file is helpful for those familiar with the Flat File Format 1.0 (SIZ) files or the CRSPAccess files by providing a mapping between the previous item names and the new item names.

### File, Item, and Column (Schema) Information

There are three metadata files that describe the Flat File Format 2.0 (CIZ) files, items, and columns (i.e. schema). These files are MetaFileInfo, MetaItemInfo, and MetaColumnInfo. There are three primary uses for these files:

- For those using the ASCII format files, these files provide the information necessary to create an appropriate database schema or data structure to load the data. For example, is a column an integer, date, string, floating point number, or character string. If a string, what is its maximum width and is it a fixed width field or a variable width field. It should be possible to use these metadata files as input to reduce the time needed for “create table” scripts. In addition, the MetaFileInfo includes information about the columns used to sort the file and uniquely identify a row.
- While the CRSP Stock & Indexes Databases: Flat File 2.0 Guide provides much of the same information, these files allow a user to do more complex searches of the item names, descriptions, and definitions in their tool of choice (SAS, 'R', SQL Server, etc.) to more accurately and quickly identify the columns of interest from more than 500 columns among all the files. These files can also be used to automate report headers or variable labels.
- The [Item Category](#) and [Item Class](#) along with some columns in the MetaColumnInfo provide useful information about the content of a column to better determine how to use or output the data.

### Flag Files

CRSP provides nearly 300 distinct items in more than 400 columns where the value is a flag. The MetaFlagInfo and the MetaFlagType files provide the supporting information about these flags. When the ItemFlagType column in the MetaItemInfo file is not NULL, it contains a Flag Type.

These Flag Types can be looked up in MetaFlagType for information about the type and in MetaFlagInfo to find all the valid Flag Values for this Flag Type. These flags help describe or qualify the entity or value and may be used to subset or group the data in queries.

Some of these flags are self-explanatory. For example, a YES/NO flag with values of 'Y' and 'N' or a data frequency flag of 'A' for Annual, 'Q' for quarterly, 'M' for monthly, and 'D' for daily. Others are less mnemonic and intuitive, and all but the most frequent user of the data will need to look up the flag values to ensure they understand the data. There are three uses of the files:

- While the Flag Value Table on the CRSP website provides much of the same information, these two files allow a user to do more complex searches of the flag values, descriptions, and definitions in their tool of choice (SAS, 'R', SQL Server, etc.) to more accurately and quickly identify the flags of interest out of the nearly 1,000 unique FlagType/FlagValue combinations than is possible from PDF documents or website tables.
- These files may also be used to include flag descriptions into report output to make it more understandable to a reader not familiar with CRSP flags.
- For database administrators or application creators, the Flag Types and/or Flag Values and their corresponding descriptions and definitions can be used to populate selection options (e.g., drop-down menus) in query tools.

### Coverage Files

Two metadata files in the Flat File Format 2.0 (CIZ) provide coverage information. These files are MetaColumnCoverage and MetaFlagCoverage. The coverage file values are calculated from the 1925 US Stock and Index File (CIZ) and for some items and flags do not represent what is found in the subset files (e.g. C6Z – 1962 US Stock File). The stock and index data files may be used without reviewing the new coverage files, especially for those already familiar with CRSP data; however, the coverage files are being introduced to improve ease-of-use and save user's time. There are three primary uses for these files:

- Help determine which column(s) might be most beneficial before running potentially time-consuming queries on the data, especially the very large daily data files.
- Help determine which, if any, flag values may impact the design of a query.
- Profiling information that could be useful for improving query performance or reducing storage.

A row exists in MetaColumnCoverage for any column with ColCoverageFlg in the MetaColumnInfo file set to 'Y'. The MetaColumnCoverage file includes more than 100 columns and almost all non-key, non-flag, and non-metadata columns.

A row exists in MetaFlagCoverage for any FlagType/FlagValue combination in the MetaFlagInfo file where FlagCoverageFlg = 'Y'. The MetaFlagCoverage file includes over 300 FlagType/FlagValue combinations and is all non-metadata items that are Item Category of FLAG.

### Column Coverage and Usefulness of Columns

There are more than 500 columns in the Flat File Format 2.0 (CIZ) files; some have very similar names and descriptions but very different characteristics. The MetaColumnCoverage file can provide easy-access information to determine which column(s) are most appropriate for the intended use. For example, DlyPrc has 98% non-missing values and at least one non-missing value for 100% of the securities (PERMNOs) in the file, but DlyClose has only 81% non-missing values and at least one non-missing value for only 88% of the securities, and DlyOpen only has 60% non-missing and at least one non-missing value for only 77% of the securities. If a closing price versus a bid-ask average is not an important distinction to study, then DlyPrc has significantly more (about 17,000,000) non-missing values. A study comparing opening and closing prices will be limited by the availability of the DlyOpen.

Similarly, the number of trades (DlyNumTrd) might be helpful for a study but knowing that its first non-missing data is on 11/1/1982 and has at least one non-missing value for only 48% of the securities could impact the study design.

## Flag Coverage and Data Restrictions or Groupings

There are more than 300 distinct FlagType/FlagValue combinations. Some combinations indicate outliers, and some queries will often exclude them because they are not relevant or material to the study. Excluding those rows will keep the data cleaner and simplify the coding and analysis.

Conversely, sometimes those very same outlier combinations are of particular interest to a study and knowing the magnitude of those outliers can determine if enough data exists for robust analysis. For example, SecuritySubType (FlagType='S2') has rows for its five values indicating about 31,000 Common (starting in 1925), 4,000 Exchange Traded Funds (starting in 2002), 1,300 Closed-End Funds (starting in 1962), 81 Americus Trusts (only from 1983 to 1992), and 54 Exchange Trade Vehicles (starting in 1987). Some studies may restrict data to Common only. In contrast, others might want to compare the performance broken down by SecuritySubType, while others may view SecuritySubType as an unimportant distinction and ignore it.

## Profiling Information for Improving Query Performance or Reduce Storage

While the coverage files are not intended to replace advanced data profiling needed for sophisticated database tuning, the coverage files may be helpful as a starting point for database administrators trying to improve query performance or reduce storage. For example, more sparsely populated columns could be identified and, if appropriate, be moved from commonly used tables to supplemental tables to reduce the size of the widely used table and speed access but not significantly reduce the table's usefulness. Flag values that are commonly used and that effectively split up the file could be indexes to speed queries access that table.

## Calendar Files

Two metadata calendar files, MetaExchangeCalendar and MetaCalendarPeriod, are included in the Flat File Format 2.0 (CIZ) files. These files provide information that complements and supplements the date functionality of SAS, 'R', and SQL-based databases.

### MetaExchangeCalendar – Trading Day, Holiday, and Weekend Flags

The MetaExchangeCalendar file contains every day from the start of the CRSP data file from December 31, 1925, to the last trading of the files. In addition, it provides flags for whether the day is a trading day, a holiday, or a weekend. It also has a code that combines the flags and details the reasons for the holiday.

While trading days in recent years follow a regular pattern, over the nearly one hundred years CRSP tracks, there is much more variability than most remember, including Saturday trading, Thanksgiving not always being the fourth Thursday of November, the standardization of observing several holidays on Monday, the recent addition of Juneteenth, etc. In addition to the planned changes to trading days, there were unexpected closures, including the multi-day closure in September 2001, the single-day closures for hurricanes, presidential funerals, bank runs, and other unforeseen events. While most studies do not need to control for weekends and holidays, the flags in the MetaExchangeCalendar are available to provide transparency. They can be a time saver in identifying an external cause of anomalous days.

### MetaCalendarPeriod – Information for Daily, Monthly, Quarterly & Annual Periods

The MetaCalendarPeriod file provides information about the Daily (is daily going to be added in, if not do we document it eventual and footnote the initial deficiency or change the doc and then change it again after it is fixed), Monthly, Quarterly, and Annual Calendar periods that can be used to complement and supplement the default date arithmetic functions.

The file contains the calendar and CRSP trading day start and end dates for a period. For example, the annual period for 1994 has the expected calendar range of 1/1/1994 to 12/31/1994, but its CRSP trading range is from 1/3/1994 to 12/30/1994. In addition, it contains the next and previous periods, which for years is a simple +1 or -1 (e.g., next and previous year for 1994 is 1995 and 1993 respectively), but for months and quarters are not as simple to calculate. This allows an easy join.

It also contains deformatted data such as CRSPPeriodPrevCRSPEndDt and has counts of both the number of calendar days in the period and the number of trading days and a CalPeriodNbr so that it is easy to calculate the number of periods between two dates. The information in the MetaCalendarPeriod file is not needed for most queries. It can be derived from other CRSP data, but having it pre-calculated and available can be a great time saver when needed.

## Chapter 2: SIZ to CIZ Mapping Information

The MetaSIZtoCIZ file is designed to provide detailed information about how the CRSP Flat File Format 1.0 (SIZ format) maps to the CRSP Flat File Format 2.0 (CIZ format). The complete list of columns in this file are in the [CRSP US Stock & Indexes Database Guide: Flat File Format 2.0](#). This document section summarizes the data's potential uses in the MetaSIZtoCIZ file.

The MetaSIZtoCIZ file contains more detail than what is available in this guide, but serves a similar purpose. This file contains multiple types of information, including primary and supplemental join information and column mapping details.

The SIZColPosition (SIZ Column Position number) and SIZColMapSeq (SIZ Column Mapping Sequence number) are the columns that provide the information needed to determine which type of information the row in the MetaSIZtoCIZ file contains, and along with the SIZFileName make up the sort order and natural key of this file. The SIZtoCIZType (SIZ to CIZ mapping Type) and SIZtoCIZSubType (SIZ to CIZ mapping Sub-Type) columns then provide detailed information on the map specific to that row.

There are three primary uses for this file:

- A more detailed and filterable way to look up an existing SIZ column to determine the CIZ column(s) that are the closest match to a SIZ column than what is available in this guide. The file is in SIZFileName, SIZColPosition order to efficiently facilitate the review of all the columns for one SIZ file. While many SIZ columns map to one and only one CIZ column, SIZ contain several overloaded values that have been split into multiple CIZ columns for a more modern database design.
- Information about the relationships of rows in the SIZ file compared to the rows in the corresponding CIZ file. While most of the largest files SIZ map one-to-one with CIZ files and substituting one for the other should require no change in code logic, there are others where there are differences in implementations that might require some modification of code.
- Information about some new columns or files in CIZ and what is its closest SIZ match.

The remainder of this section describes the four columns (SIZColPosition, SIZColMapSeq, SIZtoCIZType, SIZtoCIZSubType) that are most important in understanding the contents of the MetaSIZtoCIZ mapping file. Appendix XXXX has a complete layout and column description of this file.

### SIZColPosition – SIZ Column Position Number

The SIZColPosition (SIZ Column Position number) is used along with SIZFileName to sort the file. Therefore, the rows will match the layout of the SIZ file, rather than an alphabetical listing of items, and hopefully make it easy to review the changes on a file-by-file basis.

Most commonly, the SIZ Column Position Number is between 1 and 99 and is simply the column position number within the SIZ file; 1 indicates the first column, 2 the second column, etc. When the SIZColumnPosition number equals zero or exceeds 900, the row contains join information or added value, respectively.

### Column Mapping – SIZColPosition between 1 and 99 (current maximum 31)

These rows are the most common and most straightforward use of the file. For example, the 4th column of the SFZ\_AGG\_MTH file (MTHPRC) maps to the MthPrc column in the StkMthSecurityData file. Therefore, for this row, the corresponding mapping type and sub type (see sections below) indicate that it is an exact match within machine precision. However, some columns have more complicated mappings, including some columns having multiple mappings (see SIZColMapSeq section below).

**Join Mapping – SIZColPosition equal to 0**

These rows indicate how the key value(s) in the SIZ file align with the key value(s) in the corresponding CIZ file and help determine how to join or merge the files. For these rows, the SIZItemName has two valid values with more details in the SIZItemDesc and CIZFileName, CIZItemDesc

Key – the join will be a single column key (e.g. KYPERMNO to PERMNO)

KeyCombo – the join will be a combination of columns (e.g. KYPERMNO, YYYY to PERMNO, YYYY)

**Join Information – SIZColPosition equal to 0**

These rows indicate how the key value(s) in the SIZ file align with the key value(s) in the corresponding CIZ file and help determine how to join or merge the files. For these rows, the SIZItemName has two valid values with more details in the SIZItemDesc and CIZFileName, CIZItemDesc

- Key – the join will be a single column key (e.g. KYPERMNO to PERMNO)
- KeyCombo – the join will be a combination of columns (e.g. KYPERMNO, YYYY to PERMNO, YYYY)

The SIZtoCIZType (see page 8) provides information on what type of relationship the files have (one-to-one, ZeroOne-to-One, etc.). The SIZtoCIZSubType (see page 8) includes additional information to help understand the relationship.

**CIZ Added Value for Ease of Use – SIZColPosition greater than 900**

When ColPosition > 900, the SIZtoCIZType is either “Denormalized” or “Documentation”. The “Denormalized” columns (COMNAM, INDFAM, and PORTNUM) are columns that exist in SIZ but had to be found in another SIZ file.

These rows indicate columns that were included in the corresponding CIZ file for ease of use and to reduce the need to join multiple SIZ files.

Similarly, the rows where SIZtoCIZType is “Documentation” type are for columns that were implicit in the SIZ file because the information was contained in the PDF document. For example, IndexStatType (Index Statistic Type) – the Index Calculation section of the PDF Data Description had the relationships between INDNOs and Index Statistic Type. Still, that information has been moved to the CIZ file to reduce the need to look up information in the PDF guides to improve ease of use. These rows are also helpful for determining the closest equivalent in SIZ to a new CIZ column.

**SIZColMapSeq – SIZ Column Mapping Sequence number**

The SIZCoMapSeq (SIZ Column Mapping Sequence number) handles cases where a single SIZ column is split into two or more CIZ columns, or a single SIZ column has two or more different mappings to the CIZ or both situations. It also indicates multiple join possibilities: the lower the sequence number, the more common the mapping usage.

As a general rule, if in doubt, the row with SIZColMapSeq=1 is the best default mapping, but where there are multiple rows, it is best to review the additional rows to ensure that the best default mapping is, in fact, the best mapping for a specific application.

**Single Column Split to Two or More CIZ Columns**

For example, SFZ\_DEL file’s 3rd column DLSTCD is three-digit code numeric code that is split into four CIZ fields: DelActionType; DelStatusType; DelReasonType; and DelPaymentType. See the Numeric Code split section in the Summary of Changes document for more information about these types of splits.

### Single Column to Two or More Mappings

For instance, the SFZ\_DP\_DLY file's 4th column RET is a very commonly used item, but there are two mappings. The SIZColMapSeq = 1 has the most direct mapping to CIZ column DlyRet in the StkDlySecurityPrimaryData file, but it also maps to DlyRet in StkDlySecurityData (SIZColMapSeq=2). These two versions of DlyRet are identical and which to use depends on what other data are needed. StkDlySecurityPrimaryData has fewer columns, providing faster access, and is most analogous to SFZ\_DP\_DLY. However, if data from StkDlySecurityData is needed, it is possible to get at it using that only one file with no need to merge or join.

### Both Situations

For instance, the SFZ\_DP\_DLY file's 3rd column PRC is a very commonly used item, with seven mappings. Like DlyRet, DlyPrc is available in two different files: StkDlySecurityPrimaryData (SIZColMapSeq=1) and in StkDlySecurityData (SIZColMapSeq=2). Also, the convention is SIZ for PRC was to set it to a negative value to indicate a bid-ask average and positive when it was a closing trade. This forced the use of an absolute value function before calculating.

In CIZ, the DlyPrc is the absolute value of PRC, and a new field, DlyPrcFlg (SIZColSeqMap=4 and 5), was added to more easily allow users to differentiate and filter among a closing trade, a bid-ask average, and a missing value if desired. Still, the absolute value function is no longer necessary.

The SFZ\_DP\_DLY PRC column is also the basis for the new DlyClose (SIZColSeqMap=3, DlyPrevPrc (SIZColSeqMap=6), and DlyPrevPrcFlg (SIZColSeqMap=7), columns.

### Multiple Join Possibilities

There are a few broad cases where multiple joins exist. One case is when there are two or more natural keys because of redundant keys. For example, SFZ\_AGG\_MTH could be joined to StkMthSecurityData on either KYPERMNO, YYYYMM to PERMNO to YYYYMM (SIZColSeqMap=1) or on KYPERMNO, MCALDT to PERMNO to MthCalDt (SIZColSeqMap=2). The YYYYMM and MthCalDt are redundant, and which to use is dependent on the implementation of indexing (if any) in the environment, and the key columns of other data (if any) that will also be looked at. A second case is where different tables exist. For example, the SFZ\_HDR file joins on KYPERMNO to CIZ's StkSecurityInfoHdr's PERMNO (SIZColSeqMap=1) but also joins PERMCO to the new CIZ StkIssuerInfoHdr's PERMCO (SIZColSeqMap=2).

### SIZtoCIZType – SIZ to CIZ Mapping Type

The SIZtoCIZType (SIZ to CIZ mapping Type) is flag type 'MT' and values for this column can be found in MetaFlagInfo. The row type (see SIZColPosition section above) indicates the type, and the SIZtoCIZTypes are specific to the row type.

### SIZtoCIZSubType – SIZ to CIZ Mapping Sub-Type

The SIZtoCIZSubType (SIZ to CIZ mapping Sub-Type) is flag type 'MU' and values for this column can be found in MetaFlagInfo. The SIZtoCIZSubType, as its name implies, provides additional information about the SIZtoCIZType and should be looked at in combination.

### MetaSIZtoCIZ – SIZ to CIZ Column Mapping

File includes information about the SIZ to CIZ Column Mapping and is useful to translate from SIZ columns to CIZ columns and conventions.

| <b>Item Name</b>    | <b>Item Description</b>     | <b>Item Definition</b>   |
|---------------------|-----------------------------|--|
| SIZFileName         | SIZ File Name               | Name of the SIZ File   |
| SIZColPosition      | SIZ Column Position         | Column Position of the item within the SIZ file  |
| SIZColMapSeq        | SIZ Column Mapping Sequence | Sequence number to distinguish when there is a one-to-many mapping between an SIZ Item and a CIZ Item                      |
| SIZItemName         | SIZ Item Name               | Name of the SIZ Item   |
| SIZItemDesc         | SIZ Item Description        | Short Descripton of the SIZ Item   |
| CIZFileName         | CIZ File Name               | Name of the CIZ File, if a mapping is available  |
| CIZItemName         | CIZ Item Name               | Name of the CIZ Item, if a mapping is available  |
| CIZItemDesc         | CIZ Item Description        | Short Descripton of the CIZ Item, if a mapping is available  |
| SIZMappingType      | SIZ to CIZ Mapping Type     | Mapping Type provides information on how the SIZ column could be mapped to the CIZ column(s), if applicable                |
| SIZMappingSubType   | SIZ to CIZ Mapping Sub Type | Mapping Sub Type provides additional information on how the SIZ column could be mapped to the CIZ column(s), if applicable |
| CIZColumnKey        | CIZ Column Key              | CIZ Column Key is a unique key for the Metadata Column Information File  |
| CIZFileKey          | CIZ File Key                | CIZ File Key is a unique key for the Metadata File Information File  |
| CIZItemKey          | CIZ Item Key                | CIZ Item Key is a unique key for the Metadata Item Information File  |
| SIZColumnMappingKey | SIZ to CIZ Mapping Key      | SIZ to CIZ Mapping Key is a unique surrogate integer key to the MetaSIZtoCIZ file  |

**Appendix A: MT Flag Type**

| Obs | FlagType | FlagValue      | FlagTypeDesc            | FlagDesc                                 | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|----------------|-------------------------|--|---|-----------------|---------|
| 1   | MT       | Closest        | SIZ to CIZ Mapping Type | Closest Match - non-exact                | A use of an SIZ column that doesn't have a direct match, because of a change in algorithm, but it has one or more highly correlated CIZ columns where one of them is expected to be an acceptable replacement.  | N               | 2590001 |
| 2   | MT       | Combined       | SIZ to CIZ Mapping Type | SIZ columns combine to form a CIZ column | Two or more SIZ columns combine to form a single CIZ columns. For example, SIZ items COMNAM and SHRCLS combine to form CIZ item SecurityNm  | N               | 2590005 |
| 3   | MT       | ConvChange     | SIZ to CIZ Mapping Type | Convention Change                        | An SIZ column has a fairly direct match to a CIZ column, but there is convention change that prevents it from being a direct mapping. There is more detail about the convention change in SIZtoCIZSubType.  | N               | 2590009 |
| 4   | MT       | DateToYYYY     | SIZ to CIZ Mapping Type | Date to YYYY                             | SIZ has the value stored as the last trading day of the year in date format, but CIZ has the year portion stored as an integer in YYYY format. More information about the annual period can be found in the MetaCalendarPeriod file.                            | N               | 2590013 |
| 5   | MT       | DateToYYYYMM   | SIZ to CIZ Mapping Type | Date to YYYYMM                           | SIZ has the value stored as the last trading day of the month in date format, but CIZ has the year and month portion stored as an integer in YYYY format. More information about the monthly period can be found in the MetaCalendarPeriod file.                | N               | 2590017 |
| 6   | MT       | DateToYYYYMMDD | SIZ to CIZ Mapping Type | Date to YYYYMMDD                         | SIZ has the value stored as the trading day stored in date format, but CIZ has the year portion stored the value in integer YYYYMMDD format. More information about the daily period can be found in the MetaCalendarPeriod file.                               | N               | 2590021 |
| 7   | MT       | DateToYYYYQ    | SIZ to CIZ Mapping Type | Date to YYYYQ                            | SIZ has the value stored as the last trading day of the quarter in format, but CIZ stores an integer in YYYYQ format (e.g. July-Sep 1995 is 19953). More information about the quarterly period can be found in the MetaCalendarPeriod file.                    | N               | 2590025 |
| 8   | MT       | Denormalized   | SIZ to CIZ Mapping Type | Denormalized (duplicated) Data           | SIZ value has been stored in a secondary place in CIZ to reduce the need for joining tables. For example, the previous TCAP value is copied and stored in DlyPrevCap column so that the single row in StkDlySecurityInfo now has both current and previous cap. | N               | 2590029 |

| Obs | FlagType | FlagValue     | FlagTypeDesc            | FlagDesc                    | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|---------------|-------------------------|-----------------------------|---|-----------------|---------|
| 9   | MT       | Documentation | SIZ to CIZ Mapping Type | Columns from Documentation  | The SIZ equivalent value was available only in the documentation. It is now included in the CIZ file.   | N               | 2590033 |
| 10  | MT       | Exact         | SIZ to CIZ Mapping Type | Exact Match                 | SIZ column is an exact match to the CIZ column  | N               | 2590037 |
| 11  | MT       | ManyToOne     | SIZ to CIZ Mapping Type | Many to One                 | Row-Mapping-Type - One or more SIZ rows are summarized into a single CIZ row. For example one or more SIZ SFZ_DIS rows are summarized to form a couple of columns in a single rows of CIZ's StkDlySecurityInfo. The SIZtoCIZSubType points to more details. | N               | 2590041 |
| 12  | MT       | Mapped        | SIZ to CIZ Mapping Type | Mapped from Integer to Flag | A numeric code in SIZ is mapped to a mnemonic character flag in CIZ. The SIZtoCIZSubType points to the mapping table.   | N               | 2590045 |
| 13  | MT       | NameCleanup   | SIZ to CIZ Mapping Type | Name Column Cleanup         | The SIZ to CIZ mapping is not an exact match because the name column was edited for clarity. For example, the Index Name was expanded. (should we just change these in legacy - is there space?)  | N               | 2590049 |
| 14  | MT       | Normalized    | SIZ to CIZ Mapping Type | Normalized Data             | Row-Mapping-Type - One or more SIZ rows have been normalized to a single CIZ row. For example, Issuer and Index Family tables have been created and simplifies access when only one value per issue is desired  | N               | 2590053 |
| 15  | MT       | OneToMany     | SIZ to CIZ Mapping Type | One to Many                 | Row-Mapping-Type - One SIZ rows requires many CIZ rows. For example, some columns of the SIZ's SFZ_MTH table require every row from CIZ's StkDlySecurityInfo for the PERMNO and the month to get an equivalent item. (do we need this case?)                | N               | 2590057 |
| 16  | MT       | OneToOne      | SIZ to CIZ Mapping Type | One to One                  | Row-Mapping-Type - One SIZ row maps to one CIZ row. This is the most common row mapping type in SIZtoCIZ.   | N               | 2590061 |
| 17  | MT       | Reassign      | SIZ to CIZ Mapping Type | Reassignment Process        | Reassignment is analogous to recalculation. This is used for portfolio numbers and assigned INDNOs and indicates that the recalculation of statistics and breakpoints will result in a relative small number of reassignments rather than an exact match.   | N               | 2590065 |
| 18  | MT       | Recalc        | SIZ to CIZ Mapping Type | Recalculation Process       | The SIZ values were built from CRSPAccess data, where many items were stored in single precision. In CIZ, the values are stored double precision. The recalculated values will not match the original values exactly.                                       | N               | 2590069 |

| Obs | FlagType | FlagValue            | FlagTypeDesc            | FlagDesc             | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|----------------------|-------------------------|----------------------|---|-----------------|---------|
| 19  | MT       | Split                | SIZ to CIZ Mapping Type | Split Code           | A numeric code in SIZ is mapped to multiple mnemonic character flags in CIZ. The SIZtoCIZSubType points to more detail about the mapping.   | N               | 2590073 |
| 20  | MT       | SplitToOne           | SIZ to CIZ Mapping Type | Split Rows to One    | Row-Mapping-Type - One SIZ row maps to one CIZ row, but it is split between two different files depending on the key. This is used for the SIZ SFZ_RB file, where some INDNOs are now in IndlssRebalanceSummary and some are in IndSecRebalanceSummary      | N               | 2590077 |
| 21  | MT       | Zero-ManyToMany      | SIZ to CIZ Mapping Type | Zero-Many to One     | Row-Mapping-Type - Zero, one, or many SIZ rows maps to one or many CIZ rows. This is an unusual case for SIZ's SFZ_NDI file mapping to the CIZ's StkDlySecurityInfo for some columns. See in SIZtoCIZSubType for more information.                          | N               | 2590081 |
| 22  | MT       | Zero-ManyToNormalize | SIZ to CIZ Mapping Type | Zero-OneToNormalized | Row-Mapping-Type - Zero, one, or many SIZ rows to one normalized CIZ row. This is specific to SIZ's SFZ_PORTM mapping to CIZ's StkIndlssStatistic. See SIZtoCIZSubType for more detail  | N               | 2590085 |
| 23  | MT       | Zero-ManyToOne       | SIZ to CIZ Mapping Type | Zero-Many to Many    | Row-Mapping-Type - Zero, one, or many SIZ rows to One CIZ rows. This is specific to SIZ's SFZ_NDI mapping to CIZ's StklssuerInfoHist and StkDlySecurityInfo for some columns. See SIZtoCIZSubType for more details.   | N               | 2590089 |
| 24  | MT       | Zero-OneToMany       | SIZ to CIZ Mapping Type | Zero-One to Many     | Row-Mapping-Type - Zero or one SIZ rows maps to one or many CIZ rows. This is an unusual case for SIZ's SFZ_NDI file mapping to the CIZ's StkDlySecurityInfo for some columns. See in SIZtoCIZSubType for more information.                                 | N               | 2590093 |
| 25  | MT       | Zero-OneToOne        | SIZ to CIZ Mapping Type | Zero-OneToOne        | Row-Mapping-Type - Zero or One SIZ row maps to one CIZ row. This applies to SIZ's SFZ_DP_DLY and SFZ_DS_DLY that map one to one to CIZ's StkDlySecurityData and StkDlyPrimarySecurityData except for when DlyDelFlg = 'Y' when the rows don't exist in SIZ. | N               | 2590097 |

**Appendix B: MU Flag Type**

| Obs | FlagType | FlagValue           | FlagTypeDesc                | FlagDesc   | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|---------------------|-----------------------------|--|--|-----------------|---------|
| 1   | MU       | AddedIndDaily       | Siz to CIZ Mapping Sub-Type | Additional Daily Index Rows                        | Additional daily index rows for the CRSP Market Indexes (INDOs between 1001000 and 1001999) are now available in the CIZ file.   | N               | 2630001 |
| 2   | MU       | AddedIndHeader      | Siz to CIZ Mapping Sub-Type | Additional Index Header Rows                       | Additional index series header rows for the CRSP Market Indexes (INDOs between 1001000 and 1001999) are now available in the CIZ file, as are the corresponding INDFAM rows in the index family header file. | N               | 2630005 |
| 3   | MU       | AddedIndIssSecRB    | Siz to CIZ Mapping Sub-Type | Additional Rebalancing Summary Rows                | Additional rebalancing summary rows exists from new index availability. Future Use.  | N               | 2630009 |
| 4   | MU       | AddedIndMember      | Siz to CIZ Mapping Sub-Type | Additional Index Membership Rows                   | Additional index membership rows. In preview with Pass-Through, these extra rows are the CRSP Market Index Membership rows.  | N               | 2630013 |
| 5   | MU       | AddedIndMonthly     | Siz to CIZ Mapping Sub-Type | Additional Monthly Index Series Data Rows          | Additional monthly index series data rows exists from new index availability. Future Use.  | N               | 2630017 |
| 6   | MU       | AddedIndPortDaily   | Siz to CIZ Mapping Sub-Type | Additional Index Portfolio Daily Assignment Rows   | Additional index portfolio security (daily) assignment rows exists. Future Use.  | N               | 2630021 |
| 7   | MU       | AddedIndPortMonthly | Siz to CIZ Mapping Sub-Type | Additional Index Portfolio Monthly Assignment Rows | Additional index portfolio issuer (monthly) assignment rows exists. Future Use.  | N               | 2630025 |
| 8   | MU       | AddedIndStatDaily   | Siz to CIZ Mapping Sub-Type | Additional Index Portfolio Daily Statistics Rows   | Additional index portfolio security (daily) statistics rows exists. Future Use.  | N               | 2630029 |
| 9   | MU       | AddedIndStatMonthly | Siz to CIZ Mapping Sub-Type | Additional Index Portfolio Monthly Statistics Rows | Additional index portfolio issuer (monthly) statistics rows exists. Future Use.  | N               | 2630033 |
| 10  | MU       | BidAsk              | Siz to CIZ Mapping Sub-Type | Bid Ask Convention Change                          | DlyBid and DlyAsk are now populated anytime that DlyPrcFlg indicates Bid-Ask Average (BA)  | N               | 2630037 |

| Obs | FlagType | FlagValue            | FlagTypeDesc                | FlagDesc                                  | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|----------------------|-----------------------------|---|---|-----------------|---------|
| 11  | MU       | CAP                  | Siz to CIZ Mapping Sub-Type | Capitalization Change                     | Capitalization usually match exactly between the SIZ and CIZ, but precision limitations and two known differences (share with two adjacent factors and Fractional to Decimal prices changes.                      | N               | 2630041 |
| 12  | MU       | CNUM6                | Siz to CIZ Mapping Sub-Type | CNUM Issuer CUSIP                         | CNUM contains the first six characters (the issuer component) of the CUSIP. There are a few exceptions to this, when an issuers has too multiple simultaneous securities.   | N               | 2630045 |
| 13  | MU       | DailyPrev            | Siz to CIZ Mapping Sub-Type | Daily Previous Convention                 | The previous non-missing trading days information, when available, has been added to the daily record for ease of use. Fields include DlyPrevDt, DlyPrevPrc, DlyPrevPrcFlg, and DlyPrevCap                        | N               | 2630049 |
| 14  | MU       | DateToYYYY           | Siz to CIZ Mapping Sub-Type | Date to YYYY                              | The keys listed for the SIZ and CIZ files join one-to-one and will result in the exact same number of rows, but require the SIZ date field to be converted to a YYYY (annual) period field                        | N               | 2630053 |
| 15  | MU       | DateToYYYYMM         | Siz to CIZ Mapping Sub-Type | Date to YYYYMM                            | The keys listed for the SIZ and CIZ files join one-to-one and will result in the exact same number of rows, but require the SIZ date field to be converted to a YYYYMM (monthly) period field                     | N               | 2630057 |
| 16  | MU       | DateToYYYYMMwithJoin | Siz to CIZ Mapping Sub-Type | Date to YYYYMM with Join                  | The keys listed for the SIZ and CIZ files join one-to-one and will result in the exact same number of rows, but require the SIZ date field to be converted to a YYYYMM (monthly) period field after doing a join. | N               | 2630061 |
| 17  | MU       | DateToYYYYQ          | Siz to CIZ Mapping Sub-Type | Date to YYYYQ                             | The keys listed for the SIZ and CIZ files join one-to-one and will result in the exact same number of rows, but require the SIZ date field to be converted to a YYYYQ (quarterly) period field                    | N               | 2630065 |
| 18  | MU       | DelistCd             | Siz to CIZ Mapping Sub-Type | Delisting Numeric Code to Mnemonic Fields | The single three-digit numeric DLSTCD field has been transformed to four alphanumeric mnemonic fields: DelActionType, DelStatusType, DelReasonType, and DelPaymentType  | N               | 2630069 |

| Obs | FlagType | FlagValue            | FlagTypeDesc                | FlagDesc                                     | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|----------------------|-----------------------------|--|---|-----------------|---------|
| 19  | MU       | DelistConv           | Siz to CIZ Mapping Sub-Type | Delisting Convention Changes                 | StkDelists no longer contains records for active securities.  | N               | 2630073 |
| 20  | MU       | DelistConvDaily      | Siz to CIZ Mapping Sub-Type | Delisting Convention Daily Changes           | For ease of access, several delisting fields are now stored in the daily time series files and stored, by convention, on the trading day immediately after the delisting date. Note this may not be the DLPDT.  | N               | 2630077 |
| 21  | MU       | DelistConvDaily_Date | Siz to CIZ Mapping Sub-Type | Delisting Convention Daily Changes Date      | For ease of access, several delisting fields are now stored in the daily time series files and stored, by convention, on the trading day immediately after the delisting date - joined by date rather than period (YYYYMMDD). Note this may not be the DLPDT. | N               | 2630081 |
| 22  | MU       | DelistConvMonthly    | Siz to CIZ Mapping Sub-Type | Delisting Convention Change Monthly          | An exact equivalent of the SFZ_MDEL file holding period delisting return is no longer available.  | N               | 2630085 |
| 23  | MU       | DelistConvSlicing    | Siz to CIZ Mapping Sub-Type | Delisting Convention Slicing                 | Delisted securities will have an extra name row associated with the time from after the DLSTDT to the DLPDT. Therefore an inner join to names to distribution and delists will now return a single row.   | N               | 2630089 |
| 24  | MU       | DistCd               | Siz to CIZ Mapping Sub-Type | Distribution Numeric Code to Mnemonic Fields | The single four-digit numeric DISTCD field has been transformed to seven alphanumeric mnemonic fields: DisOrdinaryFlg, DisType, DisFreqType, DisPaymentType, DisDetailType, DisTaxType, and DisOrigCurType  | N               | 2630093 |
| 25  | MU       | DistConversion       | Siz to CIZ Mapping Sub-Type | Distribution Key Field Conversion            | SIZ used PERMNO, EXDT, DISTCD, and ACPERM as its natural key, while CIZ uses PERMNO, DisExDt, and DisSeqNbr   | N               | 2630097 |
| 26  | MU       | Exact                | Siz to CIZ Mapping Sub-Type | Exact Match                                  | Exact Match   | N               | 2630101 |

| Obs | FlagType | FlagValue         | FlagTypeDesc                | FlagDesc                                 | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|-------------------|-----------------------------|--|---|-----------------|---------|
| 27  | MU       | Exchcd            | Siz to CIZ Mapping Sub-Type | Exchange Numeric Code to Mnemonic Fields | The single two-digit (with negative values) numeric EXCHCD field has been transformed to two alphanumeric mnemonic fields: PrimaryExch and ConditionalType which map one to one with SIZ fields of PRIMEXCH and SECSTAT           | N               | 2630105 |
| 28  | MU       | IndexBreakStat    | Siz to CIZ Mapping Sub-Type | Index Breakpoint Statistic Levels        | Index Breakpoint Statistics High and Low Values have been added which are very similar to min and max values, but are slightly different for Issuer Cap Based Indexes. Check the index calculation descriptions for more details. | N               | 2630109 |
| 29  | MU       | IndexCount        | Siz to CIZ Mapping Sub-Type | Index Counts Fields                      | Index used and total counts have been recalculated and may differ slightly.   | N               | 2630113 |
| 30  | MU       | IndexCountValue   | Siz to CIZ Mapping Sub-Type | Index Count Value                        | The index weight item will contain either the index used count (USDCNT/MUSDCNT) or the index used value (USDVAL/MUSDVAL) depending on whether the index Equal-Weighted or Market-Cap (Value) Weighted, respectively.              | N               | 2630117 |
| 31  | MU       | IndexDescription  | Siz to CIZ Mapping Sub-Type | Index Description Fields                 | Index Series and Index Family descriptions have been reorganized. See Index methodology for more information.   | N               | 2630121 |
| 32  | MU       | IndexEligCnt      | Siz to CIZ Mapping Sub-Type | Index Eligible Count                     | The index eligible count is a new field in CIZ and is highly correlated with TOTCNT/MTOTCNT, but includes a count of all securities that are eligible for the index, even if price or shares data is missing.                     | N               | 2630125 |
| 33  | MU       | IndexInfo         | Siz to CIZ Mapping Sub-Type | Index Information Split                  | Several of the values in the SIZ INDHDR file have been reorganized and rationalized between the IndSeriesInfoHdr and IndFamilyInfoHdr files in CIZ. If details of changes are desired, please see (URL to be provided).           | N               | 2630129 |
| 34  | MU       | IndexIssuerAllCnt | Siz to CIZ Mapping Sub-Type | Index Issuer All Count                   | Index Breakpoint summaries have additional security and issuer count fields. See Index Methodology for more information about the nuanced differences of these fields.  | N               | 2630133 |
| 35  | MU       | IndexLevel        | Siz to CIZ Mapping Sub-Type | Index Level Fields                       | Index levels have been recalculated and may differ slightly. See known difference documentation for more information.   | N               | 2630137 |

| Obs | FlagType | FlagValue        | FlagTypeDesc                | FlagDesc                                   | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|------------------|-----------------------------|--|---|-----------------|---------|
| 36  | MU       | IndexMinMaxId    | Siz to CIZ Mapping Sub-Type | Index Minimum and Maximum ID Fields        | Index Breakpoint summaries have been split between Issuer-based indexes and security-based Indexes, and recalculated. See known differences documentation for more information.   | N               | 2630141 |
| 37  | MU       | IndexMinMaxStat  | Siz to CIZ Mapping Sub-Type | Index Minimum and Maximum Statistic Fields | Index Breakpoint summaries have been split between Issuer-based indexes and security-based Indexes, and recalculated. See known differences documentation for more information.   | N               | 2630145 |
| 38  | MU       | IndexRebalCnt    | Siz to CIZ Mapping Sub-Type | Index Rebalance Summary Count              | Index Breakpoint summaries have additional security and issuer count fields. See Index Methodology for more information about the nuanced differences of these fields, and known differences.   | N               | 2630149 |
| 39  | MU       | IndexReturn      | Siz to CIZ Mapping Sub-Type | Index Return Fields                        | Index levels have been recalculated and may differ slightly. See known difference documentation for more information.   | N               | 2630153 |
| 40  | MU       | IndexValue       | Siz to CIZ Mapping Sub-Type | Index Value Fields                         | Index used and total values (market capitalizations) have been recalculated and may differ slightly.  | N               | 2630157 |
| 41  | MU       | MachinePrecision | Siz to CIZ Mapping Sub-Type | Machine Precision Limitations              | Limitations of internal storage structures and ASCII to binary conversions can result in the values not being exactly equal, but there differences are typically less than 1E-10.   | N               | 2630161 |
| 42  | MU       | MbrFlg           | Siz to CIZ Mapping Sub-Type | Member Flag                                | Member Flag has been converted from an Integer Flag to a mnemonic code and expanded to support CRSP Market Indexes. See the index methodology guide for more information.   | N               | 2630165 |
| 43  | MU       | Minus5Conv       | Siz to CIZ Mapping Sub-Type | Minus 5 Convention                         | ACPERM, ACCOMP, NWPERM, and NWCOMP previously had PERMNOs and PERMCOs that were not part of the CRSP subscriber universe. To accommodate this convention change, a PERMNO and PERMCO record with a -5 values have been added to the corresponding tables. | N               | 2630169 |

| Obs | FlagType | FlagValue            | FlagTypeDesc                | FlagDesc                                 | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|----------------------|-----------------------------|--|--|-----------------|---------|
| 44  | MU       | MthToAgg             | Siz to CIZ Mapping Sub-Type | Monthly To Aggregate                     | The legacy SFZ_MTH file was a holding period-based file, the new StkMthSecurityData file is an aggregate file that matches the legacy SFZ_AGG_MTH. These variables are nearly identical, but the convention change can result in subtle differences. | N               | 2630173 |
| 45  | MU       | MthToAggDateToYYYYMM | Siz to CIZ Mapping Sub-Type | Monthly To Aggregate with YYYYMM         | The legacy SFZ_MTH file was a holding period-based file, the new StkMthSecurityData file is an aggregate file that matches the legacy SFZ_AGG_MTH and the period variable in YYYYMM format is a better key value than the month-end calendar date.   | N               | 2630177 |
| 46  | MU       | MthToAggPrice        | Siz to CIZ Mapping Sub-Type | Monthly To Aggregate Price               | The legacy SFZ_MTH file was a holding period-based file, the new StkMthSecurityData file is an aggregate file that matches the legacy SFZ_AGG_MTH. In addition, the MPRC has been split into a price value and a price flag.                         | N               | 2630181 |
| 47  | MU       | NDIToDly             | Siz to CIZ Mapping Sub-Type | Nasdaq Information to Daily              | The number of market maker field in the SFZ_NDI file has been moved to the StkDlySecurityData file   | N               | 2630185 |
| 48  | MU       | NDIToInfoHlst        | Siz to CIZ Mapping Sub-Type | Nasdaq Information to Security Info Hist | The NMS Indicator field in the SFZ_NDI file has been moved the Exchange Tier field of the StkSecurityInfoHist file   | N               | 2630189 |
| 49  | MU       | NMSIND               | Siz to CIZ Mapping Sub-Type | NMS Indicator Convention                 | The NMS Indicator integer code field in the SFZ_NDI file has been moved the Exchange Tier mnemonic field of the StkSecurityInfoHist file   | N               | 2630193 |
| 50  | MU       | PeriodEndToDaily     | Siz to CIZ Mapping Sub-Type | Period End to Daily                      | Some values in associated with the Period End of the SFZ_MTH file, such as MBID and MASK that are not in the monthly aggregate file can be found in the Daily (StkDlySecurityData) file.   | N               | 2630197 |
| 51  | MU       | PeriodEndToPeriodEnd | Siz to CIZ Mapping Sub-Type | Period End to Period End                 | The legacy SFZ_MTH file maps to the new StkMthSecurityData file, but the period variable in YYYYMM format is a better key value than the month-end calendar date, but the period end date can be used as an alternate key.                           | N               | 2630201 |

| Obs | FlagType | FlagValue         | FlagTypeDesc                | FlagDesc                                      | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|-------------------|-----------------------------|---|--|-----------------|---------|
| 52  | MU       | Plus1Port         | Siz to CIZ Mapping Sub-Type | Plus One Port for YYYY                        | The legacy SFZ_PORTD and SFZ_PORTM files used the ANNUAL field for two different meanings. The new IndSecStatistics file separates them out to YYYY and SecAssignYYYY for increased clarity.   | N               | 2630205 |
| 53  | MU       | Price             | Siz to CIZ Mapping Sub-Type | Price Convention Change                       | In legacy, the prices were stored as a negative number to indicate that it was an average of the bid and ask. In the current files, price and price flag are separate fields.  | N               | 2630209 |
| 54  | MU       | Rename            | Siz to CIZ Mapping Sub-Type | Rename of Item                                | The item name has changed between SIZ and CIZ to align with the new item naming conventions. The SIZtoCIZType explains the changes, if any, between the value of the original field and the renamed field.                                   | N               | 2630213 |
| 55  | MU       | Rename/NextTrdDay | Siz to CIZ Mapping Sub-Type | Renamed Field and Next Trading Day Convention | The legacy rebalancing summary (SFZ_RB) had the beginning date being the end of the previous period. The field has been renamed and the start date is now the first trading date of the current period.                                      | N               | 2630217 |
| 56  | MU       | Rename/PrevQtr    | Siz to CIZ Mapping Sub-Type | Renamed Field and Previous Quarter            | The legacy rebalancing summary (SFZ_RB) had the beginning date being the end of the previous period. There is now a previous quarter field that and for mapping a field is renamed and converted from a date format to a YYYYQ Period field. | N               | 2630221 |
| 57  | MU       | Rename/PrevYr     | Siz to CIZ Mapping Sub-Type | Renamed Field and Previous Year               | The legacy rebalancing summary (SFZ_RB) had the beginning date being the end of the previous period. There is now a previous year field that and for mapping a field is renamed and converted from a date format to a YYYY Period field.     | N               | 2630225 |
| 58  | MU       | RenameMinus5      | Siz to CIZ Mapping Sub-Type | Minus 5 Convention                            | ACPERM, ACCOMP, NWPERM, and NWCOMP previously had PERMNOs and PERMCOs that were not part of the CRSP subscriber universe. These fields have been renamed and have been changed by convention to -5.  | N               | 2630229 |
| 59  | MU       | SAME              | Siz to CIZ Mapping Sub-Type | Same Name                                     | The SIZ and CIZ files both use the same item name, and there is an exact match of the values.  | N               | 2630233 |

| Obs | FlagType | FlagValue         | FlagTypeDesc                | FlagDesc                                  | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|-------------------|-----------------------------|---|---|-----------------|---------|
| 60  | MU       | SECurityNm        | Siz to CIZ Mapping Sub-Type | Security Name Convention                  | In legacy, CRSP only had a Company (Issuer) Name. In the new ,there is both an Issuer Name and a Security Name. The security name has information about the share type (e.g. COM) and share class (e.g. CL A)                     | N               | 2630237 |
| 61  | MU       | SECurityRet       | Siz to CIZ Mapping Sub-Type | Security Return Changes                   | Security Returns have been recalculated. The vast majority are within machine precision, but there are some known differences. See the known differences document.  | N               | 2630241 |
| 62  | MU       | SFZ_HDR-PERMCO    | Siz to CIZ Mapping Sub-Type | SFZ Header PERMCO convention              | The SFZ_PORTM statistics files, including PERMNOs for Issuer-Based statistics that should have been stored at the PERMCO level. This have been normalized. See the Index Methodology guide for more information.                  | N               | 2630245 |
| 63  | MU       | SFZ_INDHDR-INDFAM | Siz to CIZ Mapping Sub-Type | SFZ Index Header to Index Family          | The Membership table previously did not include INDFAM, but only had INDNO. The INDFAM was able to be looked up via SFZ_INDHDR. It has been denormalized for convenience.   | N               | 2630249 |
| 64  | MU       | SFZ_INDHDR-INDNO  | Siz to CIZ Mapping Sub-Type | SFZ Index Header to INDNO Characteristics | The Index Rebalancing files previously did not include index family or Index Portfolio number, but could have been looked up in the SFZ_INDHDR file. They have been denormalized into these rebalancing files for convenience.    | N               | 2630253 |
| 65  | MU       | SFZ_NAM-PERMCO_DT | Siz to CIZ Mapping Sub-Type | SFZ Names to PERMCO and Date              | The Index Rebalancing files previously did not include the issuer name for the min and max IDs, but they could have been looked up in the SFZ_NAM file. They have been denormalized into these rebalancing files for convenience. | N               | 2630257 |
| 66  | MU       | SFZ_NAM-PERMNO_DT | Siz to CIZ Mapping Sub-Type | SFZ Names to PERMNO and Date              | The Index Rebalancing files previously did not include the issuer name for the min and max IDs, but they could have been looked up in the SFZ_NAM file. They have been denormalized into these rebalancing files for convenience. | N               | 2630261 |
| 67  | MU       | ShareConversion   | Siz to CIZ Mapping Sub-Type | Share Conversion Changes                  | The rows for shares outstanding do not exactly match between legacy SFZ_SHR file and the new StkShares file, because of the changes to name fields. See known differences for more information.                                   | N               | 2630265 |

| Obs | FlagType | FlagValue            | FlagTypeDesc                | FlagDesc                          | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|----------------------|-----------------------------|-----------------------------------|--|-----------------|---------|
| 68  | MU       | ShrCd                | Siz to CIZ Mapping Sub-Type | Share Code Convention Change      | In legacy, Share Code was a two-digit numeric code. In the new files, it has been expanded five alpha-numeric fields - Share Type, Security Type, Security Sub-Type, US Incorporation Flag, and Issuer Type.   | N               | 2630269 |
| 69  | MU       | ShrFlg               | Siz to CIZ Mapping Sub-Type | Share Flag Convention Change      | In legacy, Share Flag had three values, zero (Shares Observation) one (Distribution Event), and two (Name Change). In the new files, it has been converted to a mnemonic field with OBS, EVS, and NC respectively.   | N               | 2630273 |
| 70  | MU       | SICCD                | Siz to CIZ Mapping Sub-Type | SICCD Convention Change           | The SICCD was moved to the issuer level and this resulted in some minor changes. See the known differences document.   | N               | 2630277 |
| 71  | MU       | StatFlg              | Siz to CIZ Mapping Sub-Type | Statistic Flag Convention Change  | In legacy, Stat Flag had only one value. It has been expanded. See known differences for more information.   | N               | 2630281 |
| 72  | MU       | Ticker               | Siz to CIZ Mapping Sub-Type | Ticker Convention Change          | There have been minor changes to the conventions for storing tickers. See known differences for more details.  | N               | 2630285 |
| 73  | MU       | YYYYtoYYYYQ          | Siz to CIZ Mapping Sub-Type | YYYYMM to YYYYQ                   | The legacy SFZ_PORTM files used the ANNUAL field stored quarter-end values as YYYYMM. The new IndlssStatistics file uses a YYYYQ period key. For example the first quarter of 2010 was 201003 and is now 20101.  | N               | 2630289 |
| 74  | MU       | YYYYtoYYYYQPlus1Port | Siz to CIZ Mapping Sub-Type | YYYYMM to YYYYQ and Plus One Port | The legacy SFZ_PORTM files used the ANNUAL field for two different meanings and stored quarter-end values as YYYYMM. The new IndlssStatistics file uses a YYYYQ period key, and it separates the uses out to YYYYQ and lssAssignYYYYQ for increased clarity. | N               | 2630293 |
| 75  | MU       | ExactRows            | Siz to CIZ Mapping Sub-Type | Exact Rows                        | The keys listed for the SIZ and CIZ files join one-to-one, without modification, and result in the exact same number of rows.  | N               | 2630295 |

| Obs | FlagType | FlagValue         | FlagTypeDesc                | FlagDesc                          | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|-------------------|-----------------------------|-----------------------------------|---|-----------------|---------|
| 76  | MU       | IndexCountValuePT | Siz to CIZ Mapping Sub-Type | Index Count Value Pass-Through    | The index weight item will contain either the index used count (USDCNT/MUSDCNT) or the index used value (USDVAL/MUSDVAL) depending on whether the index Equal-Weighted or Market-Cap (Value) Weighted, respectively. The values are Pass-Through weights. | N               | 2630297 |
| 77  | MU       | IndexEligCntPT    | Siz to CIZ Mapping Sub-Type | Index Eligible Count Pass-Through | The index eligible count is a new field in CIZ. During Pass-Through processing, it is only non-missing for CRSP calculated versions of the S&P500 - INDNOs 1000500, 1000501, 1000510, and 1000511 and will be exactly equal to TOTCNT/MUSDCNT.            | N               | 2630299 |
| 78  | MU       | PassThrough       | Siz to CIZ Mapping Sub-Type | Pass Through Index Values         | CRSP calculated indexes are passed through from the legacy calculations and will match the SIZ values, but, in some cases, will therefore not exactly match an index value recalculated from the CIZ values.  | N               | 2630301 |

**Appendix C: CY Flag Type**

| Obs | FlagType | FlagValue   | FlagTypeDesc  | FlagDesc                                      | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|-------------|---------------|---|--|-----------------|---------|
| 1   | CY       | CODE        | Item Category | Integer Code                                  | Integer field that represents one or more characteristics  | N               | 1750001 |
| 2   | CY       | DATE        | Item Category | Date Field                                    | Date field stored in the date data type of the format  | N               | 1750005 |
| 3   | CY       | DESCRIPTION | Item Category | Wide Character Description Field              | Wide character field that contains a text description of varying length  | N               | 1750009 |
| 4   | CY       | FLAG        | Item Category | Character Flag Field                          | Alphanumeric character field that has more information stored in the FlagInfo File and FlagCoverage File   | N               | 1750013 |
| 5   | CY       | ID          | Item Category | Character Identifier Field                    | Alphanumeric Identifier field that is it usual a foreign key to either a CRSP file or a third-party published ID (e.g. CUSIP, NAICS)   | N               | 1750017 |
| 6   | CY       | KEY         | Item Category | Integer Field used as a Unique Key            | Integer field that is used as a unique key in one file and is often a foreign key in other files.  | N               | 1750021 |
| 7   | CY       | NAME        | Item Category | Medium width character field                  | Medium width character field that contains a name.   | N               | 1750025 |
| 8   | CY       | NUMBER      | Item Category | Integer value < 2,000,000,000                 | Integer value that is less than two billion and can therefore be stored in a standard (32-bit) integer   | N               | 1750029 |
| 9   | CY       | PERIOD      | Item Category | Integer field used for a Calendar Period      | Integer field used to uniquely describe a calendar period and is the unique key to the Calendar Period File and is a foreign key contained in several other files and is a special case of KEY                       | N               | 1750033 |
| 10  | CY       | QUANTITY    | Item Category | Integer with values that can exceed 2,000,000 | Integer field where values can exceed two billion, and therefore, dependent on software data types available, should to be implemented as either a bigint (64-bit integer) or as a 64-bit floating point number.     | N               | 1750037 |
| 11  | CY       | RATIO       | Item Category | Calculated floating point number              | Calculated floating point number that is often displayed as a percent and has a relatively low maximum value and does not have an exact decimal representation   | N               | 1750041 |
| 12  | CY       | VALUE       | Item Category | Field with a wide range of numeric values     | Non-Integer numeric field where values sometime vary greatly, therefore, dependent on software data types available and intended use, could be implemented as a 64-bit floating point number or a decimal data type. | N               | 1750045 |

**Appendix D: CL Flag Type**

| Obs | FlagType | FlagValue    | FlagTypeDesc | FlagDesc                                      | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|--------------|--------------|---|--|-----------------|---------|
| 1   | CL       | CodeSICCD    | Item Class   | SIC - Standard Industrial Classification Code | US Government created Standard Industrial Classification Code. It is a four digit code, and CRSP uses 0 and 9999 for unknown or unavailable. CRSP does not differentiate among the SIC Code editions | N               | 1550001 |
| 2   | CL       | DateAnnual   | Item Class   | Annual Year-End Date                          | Date restricted to last trading days of the year and cannot be null and can be found in the PeriodEndDt in the Calendar Period file where period type = A  | N               | 1550005 |
| 3   | CL       | DateDaily    | Item Class   | Daily Calendar Date                           | Daily Calendar Date that can be found in the Exchange Calendar File up to and including the final trading day covered by the CRSP snapshot and cannot be null  | N               | 1550009 |
| 4   | CL       | DateDaily14  | Item Class   | Daily Calendar Date - 14 days                 | Daily Calendar Date that can be found in the Exchange Calendar File up to and including up to two weeks (14 calendar days) past the final trading day covered by the CRSP snapshot and can be null   | N               | 1550013 |
| 5   | CL       | DateDaily180 | Item Class   | Daily Calendar Date - 180 days                | Daily Calendar Date that can be found in the Exchange Calendar File up to and including up to 180 calendar days past the final trading day covered by the CRSP snapshot and can be null              | N               | 1550017 |
| 6   | CL       | DateDlyEnd   | Item Class   | Daily Calendar End Date                       | Daily Calendar Date that is the end of a range and is always paired with a DateDlyStart field and cannot be null   | N               | 1550021 |
| 7   | CL       | DateDlyStart | Item Class   | Daily Calendar Start Date                     | Daily Calendar Date that is the start of a range and is always paired with a DateDlyEnd field and cannot be null   | N               | 1550025 |
| 8   | CL       | DateDlyWNull | Item Class   | Daily Calendar Date With Null                 | Daily Calendar Date that can be found in the Exchange Calendar File up to and including the final trading day covered by the CRSP snapshot, but it can be null                                       | N               | 1550029 |
| 9   | CL       | DateMonth    | Item Class   | Month-End Date                                | Date restricted to last trading days of a month and cannot be null and can be found in the PeriodEndDt in the Calendar Period file where period type = M   | N               | 1550033 |
| 10  | CL       | DateQuarter  | Item Class   | Quarter-End Date                              | Date restricted to last trading days of a quarter and cannot be null and can be found in the PeriodEndDt in the Calendar Period file where period type = Q   | N               | 1550037 |

| Obs | FlagType | FlagValue    | FlagTypeDesc | FlagDesc                                | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|--------------|--------------|---|---|-----------------|---------|
| 11  | CL       | DateTrade    | Item Class   | Daily Trading Date                      | Daily Trading Date that can be found in the Exchange Calendar File with Trading Day = Y and can be found in the PeriodEndDt in the Calendar Period file where period type = D | N               | 1550041 |
| 12  | CL       | DateTrdEnd   | Item Class   | Daily Trading End Date                  | Daily Trading Date that is the end of a range and is always paired with a DateTrdStart field and cannot be null   | N               | 1550045 |
| 13  | CL       | DateTrdStart | Item Class   | Daily Trading Start Date                | Daily Calendar Date that is the start of a range and is always paired with a DateTrdEnd field and cannot be null  | N               | 1550049 |
| 14  | CL       | DescVar-255  | Item Class   | Description field - 255 characters wide | Description field that is up to 255 characters wide and is restricted to the Alphanumeric, a space, and seven special character +, -, () =                                    | N               | 1550053 |
| 15  | CL       | DescVar-50   | Item Class   | Description field - 50 characters wide  | Description field that is up to 50 characters wide and is restricted to the Alphanumeric, a space, and a hyphen   | N               | 1550057 |
| 16  | CL       | FlagFix-1    | Item Class   | Flag that is exactly 1 character        | Flag that is exactly 1 character and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File  | N               | 1550061 |
| 17  | CL       | FlagFix-2    | Item Class   | Flag that is exactly 2 characters       | Flag that is exactly 2 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File   | N               | 1550065 |
| 18  | CL       | FlagFix-3    | Item Class   | Flag that is exactly 3 characters       | Flag that is exactly 3 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File   | N               | 1550069 |
| 19  | CL       | FlagFix-4    | Item Class   | Flag that is exactly 4 characters       | Flag that is exactly 4 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File   | N               | 1550073 |
| 20  | CL       | FlagVar-16   | Item Class   | Flag that can be up to 16 characters    | Flag that can be up to 16 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File                                      | N               | 1550077 |
| 21  | CL       | FlagVar-20   | Item Class   | Flag that can be up to 20 characters    | Flag that can be up to 20 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File                                      | N               | 1550081 |
| 22  | CL       | FlagVar-3    | Item Class   | Flag that can be up to 3 characters     | Flag that can be up to 3 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File                                       | N               | 1550085 |
| 23  | CL       | FlagVar-4    | Item Class   | Flag that can be up to 4 characters     | Flag that can be up to 4 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File                                       | N               | 1550089 |
| 24  | CL       | FlagVar-5    | Item Class   | Flag that can be up to 5 characters     | Flag that can be up to 5 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File                                       | N               | 1550093 |

| Obs | FlagType | FlagValue   | FlagTypeDesc | FlagDesc  | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|-------------|--------------|---|---|-----------------|---------|
| 25  | CL       | FlagVar-6   | Item Class   | Flag that can be up to 6 characters               | Flag that can be up to 6 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File   | N               | 1550097 |
| 26  | CL       | FlagVar-7   | Item Class   | Flag that can be up to 7 characters               | Flag that can be up to 7 characters and more information can be found in the Flag Info File and, if appropriate, the Flag Coverage File   | N               | 1550101 |
| 27  | CL       | IdCNUM      | Item Class   | CNUM - CUSIP Bureau Issuer - Exactly 6 characters | CNUM - CUSIP Bureau Issuer - Exactly 6 characters wide - See CUSIP Bureau for additional information about the conventions used for this field.   | N               | 1550105 |
| 28  | CL       | IdCUSIP     | Item Class   | CUSIP Bureau Security - Exactly 8 characters wide | CUSIP Bureau Security - Exactly 8 characters wide - See CUSIP Bureau for additional information about the conventions used for this field.  | N               | 1550109 |
| 29  | CL       | IdCUSIP9    | Item Class   | CUSIP Bureau Security with Check Digit - width 9  | CUSIP Bureau Security with Check Digit - Exactly 9 characters wide - See CUSIP Bureau for additional information about the conventions used for this field. Note - user defined CUSIPs (nnn99nnn or nnnnnn9n) CRSP uses an X for the check digit          | N               | 1550113 |
| 30  | CL       | IdFileName  | Item Class   | CRSP File Name                                    | CRSP File Name that uniquely identifies a row in MetaFileInfo   | N               | 1550117 |
| 31  | CL       | IdFlagValue | Item Class   | CRSP Flag Value                                   | CRSP Flag Value with more information in the Flag Info File and, if appropriate, the Flag Coverage File. When accessing the Flag Info File, Flag Type must also be used. File Name and Column Position must be used when accessing the Flag Coverage File | N               | 1550121 |
| 32  | CL       | IdItemName  | Item Class   | CRSP Item Name                                    | CRSP Item Name that uniquely identifies a row in MetaItemInfo   | N               | 1550125 |
| 33  | CL       | IdNAICS     | Item Class   | NAICS - North Amer Industry Classification System | US Government created North American Industry Classification System (NAICS). It is a six-digit code, and CRSP uses an empty string/NULL or 999990 to indicate unknown or unavailable. CRSP does not differentiate among NAICS editions                    | N               | 1550129 |
| 34  | CL       | IdR         | Item Class   | R code for the data type                          | R language code for setting to the recommended data type  | N               | 1550133 |
| 35  | CL       | IdSAS       | Item Class   | SAS code for the data type                        | SAS language code used in the SAS length statement for setting to the recommended data type   | N               | 1550137 |
| 36  | CL       | IdSASForm   | Item Class   | SAS code for the data format                      | SAS language code used in the SAS format statement for setting to the recommended SAS format for either display or export   | N               | 1550141 |

| Obs | FlagType | FlagValue       | FlagTypeDesc | FlagDesc                                    | FlagDef   | FlagCoverageFlg | FlagKey |
|-----|----------|-----------------|--------------|---|---|-----------------|---------|
| 37  | CL       | IdSQL           | Item Class   | SQL code for the data type                  | SQL language code used in the table creation to set to the recommended datatype   | N               | 1550145 |
| 38  | CL       | IdTicker        | Item Class   | Ticker - up to 5 upper case letters         | Exchange ticker that is up to five upper case letters and contains no spaces or lower case letters. An empty string/NULL is used for a missing ticker                             | N               | 1550149 |
| 39  | CL       | IdTradingSymbol | Item Class   | Trading Symbol - up to 7 upper case letters | Exchange trading symbol that is between one and seven upper case letters and contains no spaces or special characters. An empty string/null is used for a missing Trading Symbol. | N               | 1550153 |
| 40  | CL       | KeyColCov       | Item Class   | Column Coverage Key                         | Column Coverage Key is the unique surrogate integer key for the MetaColumnCoverage file.  | N               | 1550157 |
| 41  | CL       | KeyColumn       | Item Class   | Column Key                                  | Column Key is the unique surrogate integer key for the MetaColumnInfo file  | N               | 1550161 |
| 42  | CL       | KeyCompno       | Item Class   | NASDAQ Compno                               | NASDAQ Compno is a third party foreign key provided by NASDAQ for a company (Issuer). It is not used as a key by CRSP.  | N               | 1550165 |
| 43  | CL       | KeyFile         | Item Class   | File Key                                    | File Key is the unique surrogate integer key for the MetaFileInfo file.   | N               | 1550169 |
| 44  | CL       | KeyFlag         | Item Class   | Flag Key                                    | Flag Key is the unique surrogate integer key for the MetaFlagInfo file.   | N               | 1550173 |
| 45  | CL       | KeyFlagCov      | Item Class   | Flag Coverage Key                           | Flag Coverage Key is the unique surrogate integer key for the MetaFlagCoverage file.  | N               | 1550177 |
| 46  | CL       | KeyFlagType     | Item Class   | Flag Type Key                               | Flag Type Key is the unique surrogate integer key for the MetaFlagType file   | N               | 1550181 |
| 47  | CL       | KeyINDFAM       | Item Class   | INDFAM                                      | INDFAM is the unique CRSP integer key for the IndFamilyInfoHdr file   | N               | 1550185 |
| 48  | CL       | KeyINDNO        | Item Class   | INDNO                                       | INDNO is the unique CRSP integer key for the IndSeriesInfoHdr file  | N               | 1550189 |
| 49  | CL       | KeyIssueno      | Item Class   | NASDAQ Issuno                               | NASDAQ Issuno is a third party foreign key provided by NASDAQ for an issue (security). It is not used as a key by CRSP.   | N               | 1550193 |
| 50  | CL       | KeyItem         | Item Class   | Item Key                                    | Item Key is the unique surrogate integer key for the MetaItemInfo file.   | N               | 1550197 |
| 51  | CL       | KeyPERMCO       | Item Class   | PERMCO                                      | PERMCO is the unique CRSP issuer (company) integer key for the StkIssuerInfoHdr file  | N               | 1550201 |

| Obs | FlagType | FlagValue   | FlagTypeDesc | FlagDesc                   | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|-------------|--------------|----------------------------|--|-----------------|---------|
| 52  | CL       | KeyPERMNO   | Item Class   | PERMNO                     | PERMNO is the unique CRSP security integer key for the StkSecurityInfoHdr file   | N               | 1550205 |
| 53  | CL       | KeySIZtoCIZ | Item Class   | SIZ to CIZ Key             | SIZtoCIZ Key is the unique surrogate integer key for the MetaSIZtoCIZ file.  | N               | 1550209 |
| 54  | CL       | Name100     | Item Class   | Name Field 100             | A field used as a name with up to 100 characters that include alphanumeric and some special characters, including .(). CRSP does not use name fields as keys fields, but they are available for searching and reporting. | N               | 1550213 |
| 55  | CL       | Name50      | Item Class   | Name Field 50              | A field used as a name with up to 50 characters that include alphanumeric and some special characters, including .(). CRSP does not use name fields as keys fields, but they are available for searching and reporting.  | N               | 1550217 |
| 56  | CL       | Name60      | Item Class   | Name Field 60              | A field used as a name with up to 60 characters that include alphanumeric and some special characters, including .(). CRSP does not use name fields as keys fields, but they are available for searching and reporting.  | N               | 1550221 |
| 57  | CL       | Num1to10    | Item Class   | Number from 1 to 10        | A numeric field that will only contain the numbers from 1 to 10, and, if appropriate, a missing/NULL value.  | N               | 1550225 |
| 58  | CL       | Num1to4     | Item Class   | Number from 1 to 4         | A numeric field that will only contain the numbers from 1 to 4, and, if appropriate, a missing/NULL value.   | N               | 1550229 |
| 59  | CL       | Num1to7     | Item Class   | Number from 1 to 7         | A numeric field that will only contain the numbers from 1 to 7, and, if appropriate, a missing/NULL value.   | N               | 1550233 |
| 60  | CL       | NumCnt100   | Item Class   | Count from 0 to 100        | A numeric field used as a count that will only contain the numbers from 0 to 100, and, if appropriate, a missing/NULL value.   | N               | 1550237 |
| 61  | CL       | NumCnt100K  | Item Class   | Count from 0 to 100,000    | A numeric field used as a count that will only contain the numbers from 0 to 100,000, and, if appropriate, a missing/NULL value.   | N               | 1550241 |
| 62  | CL       | NumCnt10K   | Item Class   | Count from 0 to 10,000     | A numeric field used as a count that will only contain the numbers from 0 to 10,000, and, if appropriate, a missing/NULL value.  | N               | 1550245 |
| 63  | CL       | NumCnt10M   | Item Class   | Count from 0 to 10,000,000 | A numeric field used as a count that will only contain the numbers from 0 to 10,000,000, and, if appropriate, a missing/NULL value.  | N               | 1550249 |

| Obs | FlagType | FlagValue  | FlagTypeDesc | FlagDesc                            | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|------------|--------------|-------------------------------------|--|-----------------|---------|
| 64  | CL       | NumCnt1B   | Item Class   | Count from 0 to 1,000,000,000       | A numeric field used as a count that will only contain the numbers from 0 to 1,000,000,000, and, if appropriate, a missing/NULL value.   | N               | 1550253 |
| 65  | CL       | NumCnt1K   | Item Class   | Count from 0 to 1,000               | A numeric field used as a count that will only contain the numbers from 0 to 1,000, and, if appropriate, a missing/NULL value.   | N               | 1550257 |
| 66  | CL       | NumCnt1M   | Item Class   | Count from 0 to 1,000,000           | A numeric field used as a count that will only contain the numbers from 0 to 1,000,000, and, if appropriate, a missing/NULL value.   | N               | 1550261 |
| 67  | CL       | NumCnt20   | Item Class   | Count from 0 to 20                  | A numeric field used as a count that will only contain the numbers from 0 to 20, and, if appropriate, a missing/NULL value.  | N               | 1550265 |
| 68  | CL       | NumCnt200  | Item Class   | Count from 0 to 200                 | A numeric field used as a count that will only contain the numbers from 0 to 200, and, if appropriate, a missing/NULL value.   | N               | 1550269 |
| 69  | CL       | NumCnt350  | Item Class   | Count from 0 to 350                 | A numeric field used as a count that will only contain the numbers from 0 to 350, and, if appropriate, a missing/NULL value.   | N               | 1550273 |
| 70  | CL       | PctShares  | Item Class   | Shares Percentage                   | A number calculated by dividing two numbers and it is sometimes expressed as a percent. These fields are often used in other calculations and care should be taken to ensure sufficient precision. | N               | 1550277 |
| 71  | CL       | PerAny     | Item Class   | Period Value - Any Frequency        | A period value of any frequency (annual, quarterly, monthly, weekly, daily) found and defined in the MetaCalendarRanges file   | N               | 1550281 |
| 72  | CL       | PerDay     | Item Class   | Daily Period Value - YYYYMMDD       | A daily period value found and defined in the MetaCalendarRanges file and in the integer YYYYMMDD format with values between 19251231 and the current cut-date.                                    | N               | 1550285 |
| 73  | CL       | PerMonth   | Item Class   | Monthly Period Value - YYYYMM       | A monthly period value found and defined in the MetaCalendarRanges file and in the integer YYYYMM format with values between 192512 and the current cut-month                                      | N               | 1550289 |
| 74  | CL       | PerQuarter | Item Class   | Quarterly Period Value - YYYYQ      | A quarterly period value found and defined in the MetaCalendarRanges file and in the integer YYYYQ format with values between 19254 and the current cut-quarter                                    | N               | 1550293 |
| 75  | CL       | PerYear    | Item Class   | Annual (Yearly) Period Value - YYYY | A annual (yearly) period value found and defined in the MetaCalendarRanges file and in the integer YYYY format with values between 1925 and the current cut-year.                                  | N               | 1550297 |
| 76  | CL       | QtyShares  | Item Class   | Quantity Shares                     | A field used to store shares which are an integer field.   | N               | 1550301 |

| Obs | FlagType | FlagValue   | FlagTypeDesc | FlagDesc                          | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|-------------|--------------|-----------------------------------|--|-----------------|---------|
| 77  | CL       | QtyVolume   | Item Class   | Quantity Volume                   | A field used to store volumes which are an integer field that has exceeded at time 2,000,000,000 and therefore cannot be stored as a 32-bit integer.   | N               | 1550305 |
| 78  | CL       | RatioCount  | Item Class   | Ratio of Counts                   | A number calculated by dividing one count by another count and usually expressed as a percent. This fields are more often used for filters, reporting, and information and not for additional calculations.  | N               | 1550309 |
| 79  | CL       | RatioFactor | Item Class   | Calculation Factors               | A number calculated by dividing two numbers and it is sometimes expressed as a percent. These fields are often used in other calculations and care should be taken to ensure sufficient precision.   | N               | 1550313 |
| 80  | CL       | RatioIncRet | Item Class   | Income Return                     | A number containing an income return and often expressed as a percent. These numbers have a very limited range being greater than or equal to zero and, except in very unusual circumstances is less than 0.05.  | N               | 1550317 |
| 81  | CL       | RatioReturn | Item Class   | Return                            | A number containing an index or security return that is often expressed as a percent. These numbers have a limited left tail (all values are greater than or equal to -1) and usually are less than 1.0, and are often used in other calculations and analyses | N               | 1550321 |
| 82  | CL       | ValBaseLvl  | Item Class   | Base Index Level                  | A number containing the base value for an index, usual a number that is easy to express and remembers, (e.g. 1, 10, 100, 1000).  | N               | 1550325 |
| 83  | CL       | ValCap      | Item Class   | Security or Issuer Capitalization | A number containing a security or issuer capitalization. These numbers contain a wide-range of values and with prices in the 1000th and some values in the trillions, a large number of digits can be needed, and are often used in calculations.              | N               | 1550329 |
| 84  | CL       | ValDivAmt   | Item Class   | Distribution or Dividend Amount   | A number containing a dividend or distribution amounts. While this are most commonly small round numbers (e.g. 0.10, 0.25), this fields can also contain merger terms that can be very large, and are often used in calculation .                              | N               | 1550333 |
| 85  | CL       | ValLevel    | Item Class   | Index Level                       | A number containing an index level that reflects an indexes cumulative returns from the base date. This numbers, for some indexes, can get exceptionally large.  | N               | 1550337 |

| Obs | FlagType | FlagValue  | FlagTypeDesc | FlagDesc                    | FlagDef  | FlagCoverageFlg | FlagKey |
|-----|----------|------------|--------------|-----------------------------|--|-----------------|---------|
| 86  | CL       | ValMktVal  | Item Class   | Market Value for an Index   | A number containing the market value of an indexes. These numbers contain a wide-range of values because micro-cap indexes have lower value, while entire market indexes have values in the trillions..  | N               | 1550341 |
| 87  | CL       | ValPrc     | Item Class   | Security Price              | A number containing a security price. Prices are always positive, but there are individual securities close to half a million and stocks well under a dollar. The switch from fractional prices to decimal pricing also needs to factored into storage.. | N               | 1550345 |
| 88  | CL       | ValPrcVol  | Item Class   | Security Price times Volume | A number containing the value a very wide range of values, but all great than zero, but can be in the billions and trillions.  | N               | 1550349 |
| 89  | CL       | ValSecStat | Item Class   | Security Statistics         | A number containing a security statistics. Storage needs to be flexibility enough that it can handle values in the billions or trillions when market capitalization, quite small when it is a standard deviation, and even negative when a beta.         | N               | 1550353 |

### **About CRSP Research Data Products**

Center for Research in Security Prices (CRSP), originally established at the University of Chicago in 1960, is widely recognized as a leading provider of research quality historical market and returns data. Built on rigorous academic standards, its research data products are trusted by academic, commercial, and government institutions worldwide that rely on accurate, transparent data for meticulous financial analysis, economic research, and policy development where precision and historical continuity are essential.

In February 2026, Morningstar completed the acquisition of CRSP, integrating CRSP's research data products—renowned for their academic rigor, historical depth, and accuracy—into Morningstar's global data and research platform. This combination enhances Morningstar's equity research capabilities while continuing CRSP's legacy of providing high quality data to support institutional research, benchmarking, and investment decision making.

[indexes.morningstar.com/research-data-products](https://indexes.morningstar.com/research-data-products)

### **Contact Us**

[rdp@morningstar.com](mailto:rdp@morningstar.com)